

PINCH FIT™ BIOSOFT™ EARPLUGS CLASS 5 CORDED / UNCORDED / METAL DETECTABLE CORDED



PRODUCT CODE: PF-1-ANZ / PF-30-ANZ / PF-D-ANZ

BioSoft™
SUSTAINABLE BIO-BASED TECHNOLOGY

PINCH FIT™ BIOSOFT™



PRODUCT CODE:
PF-1-ANZ



PRODUCT CODE:
PF-30-ANZ



PRODUCT CODE:
PF-D-ANZ



PRODUCT INFORMATION:

- Unique stem enables easy insertion and avoids potential contamination
- Revolutionary design provides an easier, more hygienic fit
- Made from 82% bio-based materials
- Everything from the earplug, the stem, the cord (PF-30-ANZ only), and even the bag, are bio-based
- BioSoft™ ear plugs will decompose 76% in 180 days. Traditional PU or PVC ear plugs will remain unchanged
- Soft, smooth, low pressure for excellent comfort
- Metal detectable (Blue/PF-D-ANZ) recommended for use in the food industry
- Independently tested SLC₈₀ 33dB Class 5

AVAILABLE IN:

| PRODUCT CODE | TYPE | BOX QTY | CTN QTY |
|--------------|------------|-----------|----------|
| PF-1-ANZ | UNCORDED | 100 PAIRS | 10 BOXES |
| PF-30-ANZ | CORDED | 100 PAIRS | 10 BOXES |
| PF-D-ANZ | DETECTABLE | 100 PAIRS | 10 BOXES |

APPLICATIONS:

- Mining
- Oil and Gas
- Construction
- Trades
- Manufacturing
- Food Services

CARE INSTRUCTIONS:

These ear plugs are disposable, but when not in use should be kept in clean, dry conditions.

TEST DATA:

| ATTENUATION TABLE (IN DECIBELS) | | | | | | | | | |
|--|------|------|------|------|------|------|------|------|------|
| FREQUENCY HZ | 125 | 250 | 500 | 1000 | 2000 | 3150 | 4000 | 6300 | 8000 |
| MEAN ATTENUATION | 39.3 | 37.8 | 42.9 | 40.6 | 39.1 | 44.4 | 46 | 47.8 | 46.2 |
| STANDARD DEVIATION | 5.5 | 5.4 | 5.8 | 3.8 | 2.6 | 4.1 | 3.7 | 3.5 | 4.5 |
| MEAN-MINUS-STANDARD DEVIATION ATTENUATIONS | 33.8 | 32.4 | 37.1 | 36.8 | 36.5 | 40.3 | 42.3 | 44.3 | 41.7 |

SLC₈₀ Value is 33dB (Class 5)

STANDARDS:



AS/NZS 1270:2002
Lic BMP745714